

## Red Hat Certified Cloud-native Developer exam (EX378)

ID EX378 Prix 530,- € (Hors Taxe) Durée 0,4 jours

### A qui s'adresse cette formation

These audiences may be interested in becoming a Red Hat Certified Cloud-native Developer:

- Java developers who are implementing microservices using Quarkus and Kubernetes
- Red Hat Certified professionals who wish to pursue Red Hat Certified Architect (RHCA) certification

### Pré-requis

- Student must have taken the Red Hat Cloud-native Microservices Development with Quarkus (DO378) course or have comparable hands-on experience.
- Familiarity with using Visual Code/Codium in a Red Hat Enterprise Linux environment.
- Good experience with JSE, including a knowledge and understanding of the core Java concepts and APIs, is necessary for this exam. For example, Exceptions, Annotations and the Collections API are all required during the exam.
- Some familiarity with Openshift/Kubernetes is beneficial.

### In preparation

Red Hat encourages you to consider taking Red Hat Cloud-native Microservices Development with Quarkus (DO378) to help you prepare. Attendance in these classes is not required; students can choose to take just the exam.

While attending Red Hat classes can be an important part of your preparation, attending class does not guarantee success on the exam. Previous experience, practice, and native aptitude are also important determinants of success.

Many books and other resources on system administration for Red Hat products are available. Red Hat does not endorse any of these materials as preparation guides for exams. Nevertheless, you may find additional reading helpful to deepen your understanding.

### Contenu

### Study points for the exam

To help you prepare, these exam objectives highlight the task areas you can expect to see covered in the exam. Red Hat reserves the right to add, modify, and remove exam objectives. Such changes will be made public in advance.

You should be able to perform these tasks:

#### Provide and obtain configuration properties through several environment-aware sources made available through dependency injection or lookup

- Externalize data into configured values.
- Inject configured values into beans using the `@Inject` and the `@ConfigProperty` qualifier.
- Access or create a configuration.
- Understand default and custom `ConfigSource` and `ConfigSource` ordering.

As with all Red Hat performance-based exams, configurations must persist after restart without intervention.

#### Build fault-tolerant Quarkus-based microservices using Microprofile Fault Tolerance strategies

- Understand the relationship to `MicroProfile Config`.
- Understand `async` versus `sync` execution type.
- Use `@Timeout`.
- Understand `Retry` policies and apply using `@Retry`.
- Understand and define `Fallback`.
- Understand and apply `CircuitBreaker`.
- Understand and apply `Bulkhead`.
- Understand and set up fault tolerance configuration.

#### Probe the state of a Quarkus application from another machine using MicroProfile Health Check

- Understand and implement the `HealthCheck` interface.
- Understand and apply `@Liveness` and `@Readiness` annotation.
- Understand and implement `HealthCheckResponse`.
- Construct human-friendly `HealthCheckResponse`.

#### Export monitoring data to management agents from a running

## Quarkus application using Microprofile Metrics

- Understand and use three sets of sub-resource (scopes): Base, vendor, application.
- Understand tags (labels).
- Understand and use metadata.
- Understand metric registry and @Metric.
- Expose metrics via REST API.
- Know required metrics.
- Understand Quarkus application metrics programming model.

## MicroProfile Interoperable JWT RBAC on Quarkus applications: OpenID Connect (OIDC)-based JSON Web Tokens(JWT) for role-based access control (RBAC) of microservice endpoints

- Understand token-based authentication.
- Use JWT bearer tokens to protect services.
- Mark a JAX-RS application as requiring MP-JWT access control.
- Map MP-JWT tokens to Java EE container APIs.

## Implement a Quarkus application and expose REST service endpoints with JAX-RS

- Understand REST concepts, particularly the application and use of the HTTP PUT, DELETE, GET, and POST methods.
- Know and use standard HTTP return codes.
- Implement RESTful root resource class.
- Expose a REST service using JAX-RS.
- Understand and use @Path, @Produce, and @Consume.
- Using CDI to integrate components.
- Using bean validation to ensure data format and consistency.

## Simplified JPA mapping with Panache

- Understand the difference between the Active Record Pattern and the Repository Pattern.
- Use basic JPA to create, read, update, and delete persistent objects and their relationships.
- Map a bi-directional one-to-many relationship between two entities, including both sides of the association.
- Demonstrate the ability to perform the most common Panache operations and add custom entity methods.

## Reactive messaging

- Understand reactive programming.
- Understand messaging core concept.
- Understand Channels.
- Understand Incoming and Outgoing.

- Understand message acknowledgment.

## Microprofile OpenAPI specification to document RESTful APIs

- Understand OpenAPI documents and the Swagger UI to discover remote services APIs.
- Demonstrate the ability to link to semantic versioning (semver) remote service endpoints.
- Understand how to produce the default and custom OpenAPI document to JAX-RS endpoints.

## Interacting with REST APIs in Quarkus using the MicroProfile REST Client

- Understand the type-safe approach to invoke RESTful services over HTTP using the JAX-RS APIs.
- Understand REST concepts, particularly the application and use of the HTTP PUT, DELETE, GET, and POST methods.
- Demonstrate the ability to create and use a REST client to connect with a remote service.
- Parameterize and configure the REST client URI to invoke a specific remote microservice.
- Understand and use special additional client headers.

## Exam format

The Red Hat Certified Cloud-Native Developer Exam is a hands-on, practical exam that requires you to undertake real-world tasks. Internet access is not provided during the exam, and you will not be permitted to bring any hard copy or electronic documentation into the exam. This prohibition includes notes, books, or any other materials. For most exams, the documentation that ships with the product is available during the exam.

## Scores and reporting

Official scores for exams come exclusively from Red Hat Certification Central. Red Hat does not authorize examiners or training partners to report results to candidates directly. Scores on the exam are usually reported within 3 U.S. business days.

Exam results are reported as total scores. Red Hat does not report performance on individual items, nor will it provide additional information upon request.

# Red Hat Certified Cloud-native Developer exam (EX378)

---

## Centres de formation dans le monde entier



### Fast Lane Institute for Knowledge Transfer GmbH

Husacherstrasse 3  
CH-8304 Wallisellen  
Tel. +41 44 832 50 80

info@flane.ch, <https://www.flane.ch>